





This document, including the design, configuration and mechanical features revealed herein are the sole, confidential and proprietary property of TRU Corporation. Reproduction or use thereof, in whole or part, is prohibited without the prior written consent of TRU Corporation.

REV.	DESCRIPTION	DATE	APPROVED
-	ORIGINAL ISSUE	12/15/11	AM
A	CHANGE PER ECO-4212	05/29/12	TRC



- NOTES:
1. UNLESS OTHERWISE SPECIFIED; ALL DIMENSIONS ARE REFERENCE ONLY.
 2. ELECTRICAL SPECIFICATIONS:
FREQUENCY RANGE: .05 TO 18 GHz
VSWR MAX: 1.35:1
INSERTION LOSS: MAX: 1.60 dB

MATERIAL	DO NOT SCALE DRAWING		DRAWN MVC	DATE 12/06/11	 TRU Corporation 245 Lynnfield St, Peabody, MA 01960			
	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES		ENG APPR. AM	DATE 12/06/11				
	TOLERANCES: FRACTIONS: ± 1/64 .XX : ± .01 .XXX: ± .005 ANGLES: ± 1/2° MACHINED SURFACES: 		MFG APPR.	DATE	TITLE: CABLE ASSEMBLY TRUtest18-Nm-Nm-3.0			
COMMENTS:			OTHER APPR.	DATE				
			THIRD ANGLE PROJECTION		SIZE B	DWG. NO. TRU-16003-03		REV A
			CAGE CODE: 92180		SCALE: 1:1	SHEET 1 OF 1		
surface area: sq inch		weight: lbs						