

**Квадратурные мосты**

Модель	Частотный диапазон, (MHz)	Вносимые потери, (dB) [Ном./Макс.]	Разбаланс амплитуды, (dB) [Ном./Макс.]	Разбаланс фазы (град.) [Ном./Макс.]	Изоляция (dB) [Ном./Мин.]	Макс. уровень вх. мощности (W)
SMQ-C31	0.5 - 1	0.3/0.6	0.4/0.75	1.0/3.0	25/17	1
SLQ-301	5.5 - 16.5	0.3/0.5	0.8/1.0	1.0/3.0	23/20	1
SMQ-CB1	7 - 14	0.3/0.6	0.4/0.75	1.0/3.0	26/20	1
SMQ-C08	7 - 21	0.3/0.7	0.6/1.0	1.5/4.0	25/18	1
SMQ-C06	10 - 20	0.5/0.7	0.4/0.75	1.0/3.0	25/18	1
SMQ-C51	10.2 - 11.2	0.1/0.5	0.5/0.8	1.0/3.0	35/20	1
SLQ-51	10.2 - 11.2	0.1/0.5	0.5/0.8	1.0/3.0	28/20	1
SMQ-C09	14 - 42	0.4/0.9	0.6/0.9	1.0/3.0	17/14	1
SLQ-57	19 - 21	0.2/0.3	0.5/0.8	1.0/3.0	28/20	1
SMQ-C01	20 - 40	0.3/0.6	0.3/0.75	1.0/3.0	28/20	1
SLQ-K01	20 - 40	0.3/0.6	0.4/0.75	1.0/3.0	25/20	1
SLQ-302	20 - 60	0.3/0.5	0.8/1.0	1.0/3.0	23/20	1
SMQ-C52	20.3 - 22.5	0.2/0.3	0.5/0.8	1.0/3.0	28/20	1
SLQ-52	20.3 - 22.5	0.2/0.3	0.5/0.8	1.0/3.0	28/20	1
SLQ-KF1	25 - 50	0.3/0.6	0.4/0.75	1.0/3.0	25/20	1
SMQ-C53	28.5 - 31.5	0.2/0.3	0.5/0.8	1.0/3.0	25/20	1
SLQ-53	28.5 - 31.5	0.2/0.3	0.5/0.8	1.0/3.0	25/20	1
SQ-53	28.5 - 31.5	0.2/0.3	0.5/0.8	1.0/3.0	25/20	1
SLQ-KH1	30 - 60	0.3/0.6	0.4/0.75	2.0/3.0	25/20	1
SLQ-303	30 - 90	0.3/0.6	0.8/1.2	1.0/3.0	23/18	1

SMQ-C58	38 - 42	0.2/0.3	0.5/0.8	1.0/3.0	25/20	1
SLQ-58	38 - 42	0.2/0.3	0.5/0.8	1.0/3.0	28/20	1
SMQ-C02	40 - 80	0.3/0.5	0.5/0.75	1.0/3.0	25/20	1
SLQ-K02	40 - 80	0.3/0.6	0.4/0.75	1.0/3.0	25/20	1
DQF-102	40 - 80	0.3/0.6	0.4/0.75	1.0/3.0	25/20	1
SLQ-305	40 - 120	0.3/0.8	0.6/1.2	2.0/4.0	23/17	1
SMQ-C10	50 - 100	0.5/0.8	0.5/0.75	1.0/3.0	23/17	1
SLQ-K20	50 - 100	0.5/0.8	0.5/0.75	1.0/3.0	23/17	1
SMQ-C20	52 - 88	0.3/0.6	0.2/0.6	1.0/2.5	23/18	1
SMQ-C23	55 - 90	0.3/0.7	0.3/0.9	0.5/3.0	30/17	1
SMQ-C23-02	50 - 90	0.5/0.75	0.3/0.8	1.0/3.0	18/15	1
SLQ-54	57 - 63	0.2/0.5	0.5/0.8	1.0/3.0	27/20	1
SMQ-C54	57 - 63	0.2/0.5	0.5/0.8	1.0/3.0	27/20	1
SMQ-C22	60 - 80	0.2/0.6	0.1/0.6	2.0/3.0	27/17	1
SLQ-KA2	60 - 120	0.4/0.75	0.5/1.0	1.0/3.0	25/20	1
SLQ-56	66.5 - 73.5	0.2/0.5	0.5/0.8	0.5/3.0	30/20	1
SMQ-C56	66.5 - 73.5	0.2/0.5	0.5/0.8	0.5/3.0	30/20	1
SQ-56	66.5 - 73.5	0.2/0.5	0.5/0.8	0.5/3.0	30/20	1
SLQ-KA3	70 - 140	0.4/0.75	0.5/1.0	0.5/3.0	23/20	1
SLQ-61	76 - 84	0.2/0.5	0.5/0.8	1.5/3.0	28/20	1
SMQ-C61	76 - 84	0.2/0.5	0.5/0.8	1.5/3.0	28/20	1
SMQ-C03	80 - 160	0.35/0.75	0.45/1.0	1.0/3.0	28/18	1

SLQ-KA4	80 - 160	0.4/0.75	0.4/1.0	2.0/3.0	27/18	1
SLQ-304	90 - 270	0.4/0.7	0.8/1.3	2.0/4.0	23/17	1
SLQ-62	95 - 105	0.2/0.5	0.2/0.6	1.0/3.0	25/17	1
SMQ-C62	95 - 105	0.2/0.5	0.2/0.6	1.0/3.0	25/17	1
SQ-62	95 - 105	0.2/0.5	0.2/0.6	1.0/3.0	25/17	1
SMQ-C04	100 - 200	0.6/0.9	0.5/1.0	1.0/4.0	28/18	1
SLQ-K04	100 - 200	0.4/0.75	0.5/1.0	1.0/3.0	25/18	1
SMQ-C11	100 - 230	0.4/0.9	0.5/1.2	1.0/4.0	23/18	1
SMQ-C21	104 - 176	0.3/0.7	0.2/0.6	1.0/2.5	30/20	1
SLQ-66	114 - 126	0.2/0.3	0.5/0.8	1.0/3.0	25/17	1
SLQ-310	115 - 345	0.4/0.8	0.8/1.4	2.0/4.0	20/15	1
SLQ-63	133 - 147	0.2/0.3	0.5/0.8	1.0/3.0	23/17	1
SMQ-C63	133 - 147	0.2/0.3	0.5/0.8	1.0/3.0	23/17	1
SQ-63	133 - 147	0.2/0.3	0.5/0.8	1.0/3.0	23/17	1
SLQ-K05	150 - 300	0.4/0.75	0.5/1.0	2.0/4.0	25/18	1
SMQ-C05	150 - 300	0.4/0.75	0.5/1.0	2.0/4.0	25/18	1
SLQ-64	190 - 210	0.2/0.4	0.5/0.8	1.0/3.0	25/17	1
SMQ-C64	190 - 210	0.2/0.4	0.5/0.8	1.0/3.0	25/17	1
SQ-64	190 - 210	0.2/0.4	0.5/0.8	1.0/3.0	25/17	1
SMQ-C07	200 - 400	0.6/1.0	0.6/1.2	1.5/4.0	25/18	1
SLQ-K07	225 - 400	0.6/1.0	0.6/1.2	1.0/4.0	17/15	1
SLQ-330	240 - 720	0.7/1.0	1.2/1.8	3.0/5.0	23/15	1

SLQ-K08	250 - 500	0.6/1.0	0.6/1.2	2.0/4.0	25/15	1
SLQ-65	285 - 315	0.2/0.4	0.5/0.8	2.0/3.0	20/15	1
SMQ-C65	285 - 315	0.2/0.4	0.5/0.8	2.0/3.0	20/15	1
SLQ-K09	300 - 600	0.6/1.0	0.6/1.2	2.0/4.0	25/15	1
SMQ-C13	350 - 450	0.5/0.8	0.6/1.0	2.5/4.0	23/18	1
SLQ-67	428 - 473	0.2/0.4	0.5/0.9	1.0/3.0	25/17	1
SMQ-C67	428 - 473	0.2/0.4	0.4/0.9	0.5/3.0	25/17	1
SQ-67	428 - 473	0.2/0.4	0.5/0.9	1.0/3.0	25/17	1
SMQ-C74	475 - 525	0.2/0.4	0.5/0.9	1.0/3.0	18/15	1
SLQ-K10	500 - 1000	0.8/1.5	1.3/1.6	6.0/10	15/10	1
SLQ-68	570 - 630	0.3/0.5	0.5/0.9	2.0/4.0	25/15	1
SMQ-C68	570 - 630	0.3/0.5	0.45/0.7	2.0/3.0	28/20	1
MSQ-8012	800 - 1200	0.2/0.3	0.2/0.4	2.0/3.0	22/18	50
SLQ-69	836 - 934	0.3/0.5	0.5/0.9	2.0/4.0	25/15	1
SLQ-70	900 - 994	0.3/0.5	0.5/0.9	2.0/4.0	25/15	1
SLQ-71	1420 - 1570	0.3/0.6	0.7/1.0	3.0/5.0	17/13	1
SLQ-72	1496 - 1654	0.3/0.6	0.7/1.0	3.0/5.0	17/13	1
SLQ-73	1748 - 1932	0.3/0.6	0.7/1.0	3.0/5.0	17/13	1
DQK-301	5.5 - 16.5	0.3/0.5	0.8/1.0	1.0/3.0	23/20	1
DQK-706	10 - 20	0.5/0.7	0.4/0.75	1.0/3.0	25/18	1
DQK-751	10.2 - 10.5	0.2/0.3	0.5/0.7	1.0/3.0	35/20	1
DQK-757	19 - 21	0.2/0.3	0.5/0.8	1.0/3.0	28/20	1

DQK-701	20 - 40	0.3/0.6	0.3/0.75	1.0/3.0	28/20	1
DQK-302	20 - 60	0.3/0.5	0.8/1.0	1.0/3.0	23/20	1
DQK-302B	20 - 60	0.3/0.5	0.8/1.0	1.0/3.0	23/20	1
DQS-302	20 - 60	0.3/0.5	0.8/1.0	1.0/3.0	23/20	1
DQF-302	20 - 60	0.3/0.5	0.8/1.0	1.0/3.0	23/20	1
DQK-752	20.3 - 22.5	0.2/0.3	0.5/0.8	1.0/3.0	28/20	1
DQK-753	28.5 - 31.5	0.2/0.3	0.5/0.8	1.0/3.0	25/20	1
DQK-303	30 - 90	0.3/0.6	0.8/1.2	1.0/3.0	23/18	1
DQK-702S	40 - 80	0.3/0.6	0.4/0.75	1.0/3.0	25/20	1
DQK-702B	40 - 80	0.3/0.6	0.4/0.75	1.0/3.0	25/20	1
DQK-702N	40 - 80	0.3/0.6	0.4/0.75	1.0/3.0	25/20	1
DQP-202	40 - 80	0.3/0.6	0.4/0.75	1.0/3.0	25/20	1
DQK-305	40 - 120	0.3/0.8	0.6/1.2	2.0/4.0	23/17	1
DQK-720	52 - 88	0.3/0.6	0.2/0.6	1.0/2.5	23/18	1
DQK-723	55 - 90	0.3/0.7	0.3/0.9	0.5/3.0	30/17	1
DQK-754	57 - 63	0.2/0.5	0.5/0.8	1.0/3.0	27/20	1
DQK-722	60 - 80	0.2/0.6	0.1/0.6	2.0/3.0	27/17	1
DQK-756	66.5 - 73.5	0.2/0.5	0.5/0.8	0.5/3.0	30/20	1
DQK-761	76 - 84	0.2/0.5	0.5/0.8	1.5/3.0	28/20	1
DQK-703	80 - 160	0.35/0.75	0.45/1.0	1.0/3.0	28/18	1
DQK-304	90 - 270	0.4/0.7	0.8/1.3	2.0/4.0	23/17	1
DQK-762	95 - 105	0.2/0.5	0.2/0.6	1.0/3.0	25/17	1

DQK-704	100 - 200	0.6/0.9	0.5/1.0	1.0/4.0	28/18	1
DQK-721	104 - 176	0.3/0.7	0.2/0.6	1.0/2.5	30/20	1
DQK-310	115 - 345	0.4/0.8	0.8/1.4	2.0/4.0	20/15	1
DQK-705	150 - 300	0.4/0.75	0.5/1.0	2.0/4.0	25/18	1
DQK-707	200 - 400	0.6/1.0	0.6/1.2	1.5/4.0	25/18	1
DQK-330	240 - 720	0.7/1.0	1.2/1.8	3.0/5.0	23/15	1
DQK-708	250 - 500	0.6/1.0	0.6/1.2	2.0/4.0	25/15	1
DQK-765	285 - 315	0.2/0.4	0.5/0.8	2.0/3.0	20/15	1
DQK-709	300 - 600	0.6/1.0	0.6/1.2	2.0/4.0	25/15	1
DQK-767	430 - 470	0.2/0.4	0.4/0.9	0.5/3.0	25/17	1
DQK-774	475 - 525	0.2/0.4	0.5/0.9	1.0/3.0	18/15	1
DQK-712	500 - 1000	0.8/1.5	1.3/1.6	6.0/10	15/10	1
DQK-768	570 - 630	0.3/0.5	0.5/0.9	2.0/4.0	25/15	1



*The Signal Source Noise Control & Signal Processing Experts.*