



ADAPTERS

R191 / R192

Contents

Between series 50Ω adapters

Adapters for Radiall proprietary interfaces: MC-CARD, Moebius, MQ (MiniQuick), R-MCX, QMA, QN and QRE series

(needed to connect to your analyzer)

Finder guide 18-4

Drawing 18-10 to 18-12

Adapters with high frequency and precision connectors: N18GHz, PC7, SMA2.4, SMA2.9, SMA3.5 and TNC18GHz series

Finder guide 18-5

Drawing 18-13 to 18-15

Adapters with all standard series: 1.0/2.3, 7/16, BMA, BNC, C, HN, MCX, MMBX, MMCX, N, SMA, SMB, SMC, SMP, SSMA, SSMC, TNC and UHF series

Finder guide 18-6 to 18-7

Drawing 18-16 to 18-26

PUSH-ON adapters: N, SMA and TNC series

(for time savings during testing activity)

Finder guide 18-5

Drawing 18-27

Between series 75Ω adapters

Adapters with standard series: 1.0/2.3, 1.6/5.6, BNC, MCX and N series

Finder guide 18-4

Drawing 18-28

Panel drilling 18-29

In-series 50Ω and 75Ω adapters

Finder guide 18-8 to 18-9

SECTION 18 TABLE OF CONTENTS

Introduction

Radiall propose an extended family of coaxial connectors and adapters. The following finder guides and drawing pages will help you to find the between series adapters that you need.

We categorize the adapters by the following families:

Finder guide

75Ω ADAPTERS

1 st interface		2 nd interface		Part number	Page	
Series	Gender	Series	Gender			
1.0/2.3	F	MCX	M	R192 810 300	18-28	
1.6/5.6	F	BNC	M	R192 430 000		
	M		F	R192 432 000		
BNC	F	1.6/5.6	M	R192 432 000		
		N	F	R192 418 000		
	M	1.6/5.6	N	M		R192 421 000
			F	F		R192 430 000
MCX	M	1.0/2.3	F	R192 810 300		
			N	F		R192 418 000
N	F	BNC	M	R192 419 000		
	M	BNC	F	R192 421 000		

50Ω ADAPTERS FOR RADIAL PROPRIETARY INTERFACES

1 st interface		2 nd interface		Part number	Page		
Series	Gender	Series	Gender				
MC-Card	F	SMA	F	R191 366 091	18-10		
	M			R191 366 071			
Moebius	M	SMA	F	R191 857 000			
MQ	F	BNC	F	R191 416 000			
	M			R191 413 000			
R-MCX	F	SMA	F	R191 976 020			
			M	R191 977 020			
	M	SMA	M	R191 984 008			
QMA	F	N	F	R191 764 000	18-11		
			M	R191 762 000			
		SMA	F	R191 913 000			
			M	R191 912 000			
	M	N	F	R191 763 000	18-12		
			M	R191 765 000			
QN	F	7/16	M	R191 923 000	18-12		
				N		F	R191 760 010
							R191 760 000
	R191 759 000						
	M	N	M	R191 757 000			
				SMA		M	R191 927 L01
SMA3.5					F		R191 946 700
QRE	F	SMA	F	R191 926 L01	18-12		
			SMA3.5	F	R191 944 700	18-15	
	M	SMA	F	R191 944 700			
UMP H2	M	SMA	F	R107 009 901	18-11		
UMP H2.6	M	SMA	F	R107 009 902			
UMP H3	M	SMA	F	R107 009 903			

Finder guide

50Ω ADAPTERS WITH HIGH FREQUENCY AND PRECISION CONNECTORS

ADAPTERS

1 st interface		2 nd interface		Part number	Page	
Series	Gender	Series	Gender			
N18	F	SMA3.5	F	R191 330 000	18-13	
			M	R191 333 000		
	M		F	R191 326 000		
			M	R191 328 000		
			M	R191 324 000		
PC7	F	BNC	F	R191 015 000		18-14
			M	R191 013 000		
		N	F	R191 027 000		
			M	R191 025 000		
		SMA	F	R191 011 000		
			M	R191 009 000		
	SMA3.5	F	R191 012 000			
		M	R191 010 000			
		SMB	F	R191 007 000		
		SMC	F	R191 003 000		
2.4 mm	F	SMA2.9	F	R191 970 091	-	
			M	R191 970 071		
		SMPM	F	R191 565 000		
			M	R191 564 000		
	M	SMA2.9	F	R191 970 081		18-14
			M	R191 970 061		
		SMPM	F	R191 563 000		
			M	R191 562 000		
SMA2.9	F	SMA2.4	F	R191 970 091	18-14	
			M	R191 970 081		
		SMP	F	R191 969 002		
			M	R191 968 001		
	M	SMA2.4	F	R191 970 071	18-14	
			M	R191 970 061		
		SMP	F	R191 967 002		
			M	R191 966 001		
SMA3.5	F	QRE	F	R191 946 700	18-15	
			M	R191 944 700		
		N18 GHz	F	R191 330 000		
			M	R191 333 000		
		PC7	F	R191 328 000		
			TNC18	F		R191 012 000
	M	N18	F	R191 316 700	18-15	
			M	R191 326 000		
		PC7	F	R191 326 000		
			M	R191 324 000		
SMPM	F	2.4 mm	F	R191 565 000	-	
			M	R191 563 000		
			M	R191 564 000		
	M	2.4 mm	F	R191 564 000		
			M	R191 562 000		
			SMP	M		R191 570 100
TNC18	F	SMA	F	R191 318 700	18-15	
			F	R191 314 730		
			F	R191 314 700		
		SMA 3.5	F	R191 316 700		

50Ω PUSH-ON ADAPTERS

1 st interface		2 nd interface		Part number	Page
Series	Gender	Series	Gender		
MCX Push-on	F	SMA	M	R191 977 520	18-27
N Push-on	M	N	F	R161 791 500	
TNC Push-on	M	TNC	F	R143 713 000	
SMA Push-on	M	SMA	F	R125 792 501	
	F			R125 791 501	

ADAPTERS

Finder guide

50Ω ADAPTERS WITH ALL STANDARD SERIES

1 st interface		2 nd interface		Part number	Page			
Series	Gender	Series	Gender					
1.0/2.3	M	SMA	F	R191 368 020	18-16			
2B4 (Banana plug 4mm)	F	BNC	M	R191 453 000				
	M	BNC	F	R191 454 000				
7/16	F	HN	M	R191 455 000	18-17			
			F	R191 908 000				
		N	F	R191 723 000				
	M	HN	M	R191 720 000	18-16			
			F	R191 907 000				
		N	F	R191 907 000				
BMA	F	SMA	M	R191 722 000	18-17			
			F	R191 721 000				
		QN	F	R191 923 000				
	M	SMA	M	R191 353 711	18-18			
			F	R191 352 001				
		SMP	M	R191 815 110				
BNC	F	SMA	M	R191 355 001	18-17			
			F	R191 354 001				
			M	R191 350 001				
			SMP	F		R191 811 100		
			2B4	M		R191 455 000		
			C	M		R191 429 000		
		M	HN	M	R191 449 000	18-18		
				F	R191 477 120			
				M	R191 416 000			
			MCX	F	M	R191 413 000	18-10	
					F	R191 422 000		
				MQ	M	R191 422 000		
	F	N	F	M	R191 424 000	18-18		
				F	R191 422 020			
			M	F	M	R191 421 000	18-19	
					M	R191 015 000		
			SMA	F	M	M	R191 303 000	18-19
						F	R191 215 000	
		M			5512-7501-000			
		SMB		F	M	M	R191 212 500	18-20
						F	R191 213 000	
				M	R191 212 000			
		M	SMC	F	M	R191 123 000	18-20	
					F	R191 124 000		
M	R191 120 000							
TNC	M		F	M	R191 405 000	18-21		
				M	R191 447 000			
	UHF		M	R191 447 000				
C	F	2B4	F	R191 453 000	18-16			
			F	R191 454 000				
			F	R191 419 000				
		M	N	F	M	R191 417 000	18-18	
					M	R191 013 000		
			PC7	M	R191 013 000			
	M	SMA	F	M	R191 305 000	18-19		
				M	R191 301 000			
			F	R191 214 000				
		SMB	M	F	M	R191 209 000	18-20	
					M	R191 117 000		
			TNC	F	R191 403 000			
HN	F	UHF	M	R191 445 000	18-21			
			F	R191 708 000				
		N	M	R191 703 000				
	M	BNC	F	M	R191 429 000	18-18		
				F	R191 933 000			
		N	F	R191 705 000				
LC	F	7/16	M	R191 907 000	18-16			
			M	R191 933 000				
		C	M	R191 933 000				
	M	7/16	F	M	R191 908 000	18-16		
				F	R191 449 000			
		BNC	F	R191 737 000				
LC	F	N	F	R191 741 000	18-21			

1 st interface		2 nd interface		Part number	Page				
Series	Gender	Series	Gender						
MCX	F	BNC	F	R191 477 120	18-18				
			F	R191 388 000	18-21				
		M	R191 386 000	18-22					
	M	SMA	F	R191 387 107	18-21				
			F	R191 387 000					
		M	R191 385 000						
MMCX	F	SMA	F	R191 399 100	18-22				
	M		F	R191 398 020					
MMBX	F	SMA	F	R191 389 400	18-22				
			M	R191 389 300					
			M	R191 389 200					
	M	SMA	F	M	R191 389 100	18-16			
				F	R191 723 000				
			M	R191 722 000					
N	F	7/16	F	M	R191 422 000	18-18			
				F	R191 424 000				
			BNC	F	M	M	R191 422 020	18-18	
						F	R191 419 000		
				C	F	M	M	R191 708 000	18-21
							F	R191 705 000	
		HN			M	F	M	R191 737 000	
							F	R191 741 000	
		M	PC7	F	M	R191 027 000	18-13		
					F	R191 764 000			
				QMA	F	M	M	R191 763 000	18-11
			F				R191 760 010		
	QN		F		M	M	R191 760 000	18-12	
				F		R191 759 000			
	F	SMA	F	M	M	R191 334 000	18-23		
					F	R191 332 000			
				F	R191 331 000				
			M	F	M	M		R191 381 000	
						M		R191 327 000	
						M		R191 377 000	
		M	SMB	F	M	M	R191 239 000	18-24	
						F	R191 236 000		
				TNC	F	M	M		R191 514 000
			F				R191 511 000		
UHF			M		R191 733 000				
M			7/16	F	M	M	R191 720 000	18-17	
	F	R191 721 000							
	BNC	F		M	M	R191 421 000	18-19		
					F	R191 417 000			
		C		F	M	M		R191 703 000	18-21
						F		R191 025 000	
	M	QMA	F	M	M	R191 762 000	18-11		
					F	R191 765 000			
			QN	M	F	M		R191 757 000	18-12
		F				R191 329 000			
		SMA		M	F	M	R191 325 000	18-23	
			F			R191 233 000			
TNC	F		R191 513 000						
UHF	F	M	M	R191 513 050	18-24				
			F	R191 731 000					

Finder guide

50Ω ADAPTERS WITH ALL STANDARD SERIES

ADAPTERS

1 st interface		2 nd interface		Part number	Page		
Series	Gender	Series	Gender				
SMA	F	1.0/2.3	M	R191 368 020	18-16		
			BMA	F	R191 353 711	18-17	
					R191 353 701		
				M	R191 352 001		
				R191 355 001			
		BNC	M	R191 305 000	18-19		
		MC-Card	F	R191 366 091	18-10		
			M	R191 366 071			
		MCX	F	R191 388 000	18-21		
				R191 387 107			
			M	R191 387 000			
		MMBX	F	R191 389 400	18-22		
			M	R191 389 200			
		MMCX	F	R191 399 100	18-22		
			M	R191 398 020			
		Moebius	M	R191 857 000	18-10		
		SMA	F	N	F	R191 334 000	18-23
						R191 332 000	
						R191 331 000	
						R191 381 000	
					M	R191 329 000	
				PC7		R191 011 000	18-14
				QMA	F	R191 913 000	18-11
					M	R191 911 000	
				QRE	M	R191 926 L01	18-12
				R-MCX	F	R191 976 020	18-10
		SMB	F	R191 203 007	18-24		
			M	R191 201 007			
		SMP	F		R191 844 002	18-25	
					R191 843 001		
					R191 843 421		
				M	R191 843 401		
		SSMA	F	R191 349 000	18-26		
		SSMC	F	5945-9503-000			
		TNC	F	R191 315 000	18-26		
				R191 365 000			
			M	R191 313 000			
		TNC18 GHz	F		R191 318 700	18-15	
					R191 314 730		
					R191 314 700		
SMA	M	BMA	F	R191 351 701	18-17		
				R191 354 001			
				R191 350 001			
		BNC	F	R191 303 000	18-19		
			M	R191 301 000			
		MCX	F	R191 386 000	18-22		
			M	R191 385 000			
		MMCX	F	R191 389 300	18-22		
			M	R191 389 100			
		N	F	R191 327 000	18-23		
				R191 377 000			
			M	R191 325 000			
		PC7		R191 009 000	18-14		
		QMA	F	R191 912 000	18-11		
			M	R191 910 000			
		QRE	F	R191 927 L01	18-12		
R-MCX	F	R191 977 020	18-10				
	M	R191 984 008					
SMB	M	R191 200 007	18-25				
SMC	F	R191 374 000					
SMP	F	R191 842 002	18-25				
	M	R191 841 001					
SSMA	F	R191 347 000	18-26				
SSMC	M	5938-1503-000					
TNC	F	R191 311 000					
	M	R191 309 000					

1 st interface		2 nd interface		Part number	Page	
Series	Gender	Series	Gender			
SMB	F	BNC	F	R191 215 000	18-19	
				5512-7501-000		
				M		R191 214 000
				F		R191 239 000
			PC7	R191 007 000	18-14	
			SMA	F	R191 203 007	18-24
		M	BNC	F	R191 212 500	18-20
					R191 213 000	
				R191 212 000		
	M			R191 209 000		
			N	F	R191 236 000	18-23
				M	R191 233 000	18-24
			SMA	F	R191 201 007	18-25
				M	R191 200 007	18-25
	SMC	F	BNC	F	R191 123 000	18-20
					R191 124 000	
			PC7	R191 003 000	18-14	
			SMA	M	R191 374 000	18-25
M		BNC	F	R191 120 000	18-20	
			M	R191 117 000		
SMP	F	BMA	M	R191 811 100	18-18	
				F		R191 844 002
			SMA	M	R191 842 002	18-25
				F	R191 969 002	18-15
			SMA2.9	M	R191 967 002	
		M	BMA	F	R191 815 110	18-18
				R191 843 001		
				R191 843 421		
				R191 843 401		
		SMA	F	R191 841 001	18-25	
		M	R191 841 001			
	SMA2.9	F	R191 968 001	18-15		
		M	R191 966 001			
SSMA	F	SMA	F	R191 349 000	18-26	
	M		M	R191 347 000		
SSMC	F	SMA	F	5945-9503-000	18-26	
	M		M	5938-1503-000		
TNC	F	BNC	M	R191 403 000	18-20	
				F		R191 514 000
				M		R191 513 000
			N	R191 513 050	18-24	
		SMA	F	R191 315 000	18-26	
				R191 365 000		
			M	R191 311 000		
			F	R191 311 000		
	M	BNC	F	R191 405 000	18-20	
				F		R191 511 000
SMA		F	R191 313 000	18-26		
		M	R191 309 000			
UHF	F	BNC	M	R191 445 000	18-21	
			N	M	R191 731 000	18-24
	M	BNC	F	R191 447 000	18-21	
			N	F	R191 733 000	18-24

ADAPTERS

Finder guide

50Ω AND 75Ω IN SERIES ADAPTERS(For reference only)

In Series Adaptors	Part Number	Gender (Male-Female)				Type					Function								
		Side 1	Side 2	Side 3	Side 4	Str.	R/A	U	T	X	Bulkhead	Sealed		Panel Isolated	Flange	Press-in	Locked on Panel	Hermetic	
						1—2	1 2	1 2	1 2 3	1 2 3 4		Panel	Inside Line						
7/16	R185 703 000	M	M			X													
	R185 705 000	F	F			X													
	R185 707 000	M	F			X													
	R185 710 000	F	F			X													
	R185 730 020	F	F			X					X	X			X				
1.6 / 5.6	R129 796 215	M	M					X											
	R141 703 000	M	M			X													
BNC	R141 704 000	F	F			X													
	R141 710 000	F	F			X													
	R141 717 000	F	F			X								X	X				
	R141 720 000	F	F			X					X								
	R141 723 000	F	F			X					X			X					
	R141 723 161	F	F			X					X			X					
	R141 730 000	F	F			X					X	X							
	R141 753 000	F	F			X					X	X						X	
	R141 770 000	M	F				X												
	R141 780 000	F	F	M					X										
	R141 782 000	F	F	F					X										
	R141 789 000	F	M	F					X										
	R141 799 000	F	F	F	M					X									
	BNC 75 Ω	R142 703 000	M	M			X												
		R142 704 000	F	F			X												
R142 710 000		F	F			X									X				
R142 720 000		F	F			X					X								
R142 723 000		F	F			X					X			X					
R142 770 000		M	F				X												
R142 780 000		F	F	M															
R142 782 000		F	F	F															
BNC HT	R316 704 000	F	F			X													
	R316 714 000	F	F			X									X				
	R316 754 000	F	F			X					X	X	X						
	R316 770 000	M	F				X												
	R316 780 000	F	F	M					X										
C	R166 705 000	F	F			X													
	R166 770 000	M	F				X												
DT-F	R139 705 023	F	F			X													
HN	R176 754 000	F	F			X					X	X	X					X	
	R176 754 150	F	F			X					X	X							
	R176 770 000	M	F				X												
HN2	R616 705 000	F	F			X													
MCC2	R199 001 703	M	M			X										X			
	R199 001 713	M	M			X													
	R199 001 733	M	M			X											X		
MCX	R113 704 000	F	F			X													
MMBX	R223 703 000	M	M			X													
	R223 720 020	M	M			X					X								
MMS	R209 703 070	M	M			X													
MMT	R210 703 507	F	F Slide on			X													
N	R161 703 000	M	M			X													
	R161 705 000	F	F			X													
	R161 715 000	F	F			X									X				
	R161 730 000	F	F			X					X	X							
	R161 753 000	F	F			X					X	X	X					X	
	R161 771 000	M	F				X												
	R161 780 000	F	F	M															
R161 782 000	F	F	F																
N18 GHz	R161 791 500	F	F Slide on			X													
	R163 703 001	M	M			X													
	R163 705 001	F	F			X													
	R163 708 001	M	F			X													
	R162 703 000	M	M			X													
N75Ω	R162 705 000	F	F			X													
	R123 703 000	M	M			X													
	R123 704 000	M	F			X													
	R123 705 000	F	F			X													
QN	R164 705 000	F	F			X													
	R164 708 000	M	F			X													

Note: drawings can be found in the corresponding series' section

Finder guide


50Ω AND 75Ω IN SERIES ADAPTERS (For reference only)

ADAPTERS


In Series Adaptors	Part Number	Gender (Male-Female)				Type					Function							
		Side 1	Side 2	Side 3	Side 4	Str.	R/A	U	T	X	Bulkhead	Sealed		Panel Isolated	Flange	Press-in	Locked on Panel	Hermetic
												Panel	Inside Line					
SHV	R317 720 000	M	M			X					X							
	R125 703 000	M	M			X												
	R125 703 001	M	M			X												
	R125 704 000	M	F			X												
	R125 704 001	M	F			X												
	R125 705 000	F	F			X												
	R125 705 001	F	F			X												
	R125 720 000	F	F			X					X							
	R125 720 001	F	F			X					X							
	R125 753 000	F	F			X					X	X	X					X
	R125 753 001	F	F			X					X	X	X					X
	R125 771 000	M	F				X											
	R125 771 001	M	F				X											
	R125 780 000	F	F	M					X									
	R125 780 001	F	F	M					X									
R125 791 501	F	M Slide on			X													
R125 792 501	F	F Slide on			X													
SMA 2.9	R127 703 001	M	M			X												
	R127 704 001	M	F			X												
	R127 705 001	F	F			X												
	R127 712 001	F	F			X								X				
	R127 753 000	F	F			X					X	X	X					X
	R127 870 001	F	F			X												
R127 872 001	M	F			X													
SMA Com	R124 703 003	M	M			X												
	R124 704 003	M	F			X												
	R124 705 003	F	F			X												
SMB	R124 720 003	F	F			X				X								
	R114 703 000	M	M			X												
	R114 704 000	F	F			X												
	R114 720 000	M	M			X				X								
SMB	R114 753 000	M	M			X				X	X	X						X
	R114 780 000	M	M	F														
	R114 781 000	M	M	M														
	R112 720 000	M	M			X				X								
SMC	R112 780 000	M	M	F				X										
	R222 705 000	F	F			X												
SMP	R222 705 200	F	F			X												
	R222 705 220	F	F			X												
	R121 703 000	M	M			X												
SSMA	R121 705 000	F	F			X												
	R143 703 000	M	M			X												
TNC	R143 703 700	M	M			X												
	R143 704 000	F	F			X												
	R143 704 700	F	F			X												
	R143 705 700	M	F			X												
	R143 710 000	F	F			X									X			
	R143 710 700	F	F			X									X			
	R143 713 000	F	M Slide on			X									X			
	R143 720 000	F	F			X					X							
	R143 730 700	F	F			X					X	X						
	R143 753 000	F	F			X					X	X	X					X
	R143 753 120	F	F			X					X	X	X					X
	R143 770 000	M	F				X											
R143 780 000	F	F	M					X										
R143 782 000	F	F	F					X										
TNC18	R143 703 700	M	M			X												
	R143 704 700	F	F			X												
	R143 705 700	M	F			X												
	R143 710 700	F	F			X								X				
UHF	R143 730 700	F	F			X				X	X							
	R155 705 000	F	F			X												

Note: drawings can be found in the corresponding series' section


Radial proprietary interface adapters




Part number	Interface
R191 366 091	MC-Card Female - SMA Female




Part number	Interface
R191 366 071	MC-Card Male - SMA Female




Part number	Interface
R191 857 000	Moebius Male - SMA Female




Part number	Interface	Panel drilling
R191 416 000	MQ Female - BNC Female	P06




Part number	Interface
R191 413 000	MQ Male - BNC Female



Part number	Interface
R191 976 020	R-MCX Female - SMA Female




Part number	Interface
R191 977 020	R-MCX Female - SMA Male




Part number	Interface
R191 984 008	R-MCX Male - SMA Male

Radial proprietary interface adapters


ADAPTERS 50Ω




Part number	Interface
R107 009 901	UMP H2 - SMA Female




Part number	Interface
R107 009 902	UMP H2.6 - SMA Female




Part number	Interface
R107 009 903	UMP H3 - SMA Female




Part number	Interface
R191 913 000	QMA Female - SMA Female




Part number	Interface
R191 912 000	QMA Female - SMA Male




Part number	Interface
R191 911 000	QMA Female - SMA Female



Part number	Interface
R191 910 000	QMA Male - SMA Male




Part number	Interface
R191 764 000	QMA Female - N Female




Part number	Interface
R191 762 000	QMA Female - N Male

ADAPTERS 50Ω


Radial proprietary interface adapters




Part number	Interface
R191 763 000	QMA Male - N Female




Part number	Interface
R191 765 000	QMA Male - N Male




Part number	Interface
R191 923 000	QN Female - 7/16 Male




Part number	Interface
R191 760 010	QN Female - N Female




Part number	Interface
R191 760 000	QN Female - N Female




Part number	Interface
R191 759 000	QN Male - N Female



Part number	Interface
R191 757 000	QN Male - N Male




Part number	Interface
R191 927 L01	QRE Female - SMA Male




Part number	Interface
R191 926 L01	QRE Male - SMA Female


High frequency and precision connector adapters




Part number	Interface
R191 330 000	N18 Female - SMA3.5 Female




Part number	Interface	Panel drilling
R191 333 000	N18 Female - SMA3.5 Female	P11




Part number	Interface
R191 326 000	N18 Female - SMA3.5 Male




Part number	Interface
R191 328 000	N18 Male - SMA3.5 Female




Part number	Interface
R191 324 000	N18 Male - SMA3.5 Male




Part number	Interface
R191 015 000	PC7 - BNC Female



Part number	Interface
R191 013 000	PC7 - BNC Male



Part number	Interface
R191 027 000	PC7 - N Female




Part number	Interface
R191 025 000	PC7 - N Male


ADAPTERS 50Ω

ADAPTERS 50Ω


High frequency and precision connector adapters




Part number	Interface
R191 011 000	PC7 - SMA Female




Part number	Interface
R191 009 000	PC7 - SMA Male




Part number	Interface
R191 012 000	PC7 - SMA3.5 Female




Part number	Interface
R191 010 000	PC7 - SMA3.5 Male




Part number	Interface
R191 007 000	PC7 - SMB Female




Part number	Interface
R191 003 000	PC7 - SMC Female




Part number	Interface
R191 970 091	SMA2.4 Female - SMA2.9 Female



Part number	Interface
R191 970 071	SMA2.4 Female - SMA2.9 Male




Part number	Interface
R191 970 081	SMA2.4 Male - SMA2.9 Female




Part number	Interface
R191 970 061	SMA2.4 Male - SMA2.9 Male

High frequency and precision connector adapters


ADAPTERS 50Ω




Part number	Interface
R191 969 002	SMA2.9 Female - SMP Female




Part number	Interface
R191 968 001	SMA2.9 Female - SMP Male




Part number	Interface
R191 967 002	SMA2.9 Male - SMP Female




Part number	Interface
R191 966 001	SMA2.9 Male - SMP Male




Part number	Interface
R191 946 700	SMA3.5 Female - QRE Male




Part number	Interface
R191 944 700	SMA3.5 Female - QRE Male




Part number	Interface	Panel drilling
R191 316 700	TNC18 Female - SMA3.5 Female	P04



Part number	Interface	Panel drilling
R191 318 700	TNC18 Female - SMA Female	P04




Part number	Interface	Panel drilling
R191 314 730	SMA Female - TNC18 Female	P08




Part number	Interface	Panel drilling
R191 314 700	SMA Female - TNC18 Female	P04


Standard series adapters




Part number	Interface
R191 368 020	1.0/2.3 Male - SMA Female




Part number	Interface
R191 455 000	2B4 Male - BNC Female




Part number	Interface
R191 453 000	2B4 Female - BNC Male




Part number	Interface
R191 454 000	2B4 Female - BNC Male




Part number	Interface
R191 907 000	7/16 Male - HN Female



Part number	Interface
R191 908 000	7/16 Female - HN Male




Part number	Interface
R191 723 000	7/16 Female - N Female




Part number	Interface
R191 722 000	7/16 Male - N Female

Standard series adapters


ADAPTERS 50Ω




Part number	Interface
R191 720 000	7/16 Female - N Male




Part number	Interface
R191 721 000	7/16 Male - N Male




Part number	Interface
R191 353 711	BMA Female - SMA Female




Part number	Interface	Panel drilling
R191 353 701	BMA Female - SMA Female	P12




Part number	Interface
R191 352 001	BMA Male - SMA Female




Part number	Interface	Panel drilling
R191 355 001	BMA Male - SMA Female	P03



Part number	Interface	Panel drilling
R191 354 001	BMA Male - SMA Male	P03




Part number	Interface
R191 351 701	BMA Female - SMA Male




Part number	Interface
R191 350 001	BMA Male - SMA Male

ADAPTERS 50Ω


Standard series adapters




Part number	Interface	Panel drilling
R191 811 100	BMA Male - SMP Female	P13




Part number	Interface
R191 815 110	BMA Female - SMP Male




Part number	Interface
R191 429 000	BNC Female - C Male




Part number	Interface
R191 449 000	BNC Female - HN Male




Part number	Interface	Panel drilling
R191 477 120	BNC Female - MCX Female	P10



Part number	Interface	Panel drilling
R191 424 000	BNC Female - N Female	P01




Part number	Interface	Panel drilling
R191 422 000	BNC Female - N Female	P11




Part number	Interface
R191 419 000	BNC Male - N Female

Standard series adapters


ADAPTERS 50Ω




Part number	Interface
R191 421 000	BNC Female - N Male




Part number	Interface
R191 417 000	BNC Male - N Male




Part number	Interface
R191 305 000	BNC Male - SMA Female




Part number	Interface
R191 303 000	BNC Female - SMA Male




Part number	Interface
R191 301 000	BNC Male - SMA Male




Part number	Interface
R191 215 000	BNC Female - SMB Female



Part number	Interface	Panel drilling
5512-7501-000	BNC Female - SMB Male	P17




Part number	Interface
R191 214 000	BNC Male - SMB Female




Part number	Interface	Panel drilling
R191 212 500	BNC Female - SMB Male	P14

ADAPTERS 50Ω


Standard series adapters




Part number	Interface	Panel drilling
R191 213 000	BNC Female - SMB Male	P04




Part number	Interface	Panel drilling
R191 212 000	BNC Female - SMB Male	P02




Part number	Interface
R191 209 000	BNC Male - SMB Male




Part number	Interface
R191 123 000	BNC Female - SMC Female




Part number	Interface	Panel drilling
R191 124 000	BNC Female - SMC Female	P06




Part number	Interface	Panel drilling
R191 120 000	BNC Female - SMC Male	P02



Part number	Interface
R191 117 000	BNC Male - SMC Male




Part number	Interface
R191 403 000	BNC Male - TNC Female




Part number	Interface
R191 405 000	BNC Female - TNC Male


Standard series adapters




Part number	Interface
R191 445 000	BNC Male - UHF Female




Part number	Interface
R191 447 000	BNC Female - UHF Male




Part number	Interface
R191 933 000	C Male - HN Female




Part number	Interface	Panel drilling
R191 708 000	C Female - N Female	P01




Part number	Interface
R191 705 000	C Male - N Female




Part number	Interface
R191 703 000	C Female - N Male




Part number	Interface
R191 737 000	HN Male - N Female



Part number	Interface
R191 741 000	LC Female - N Female



Part number	Interface
R191 388 000	MCX Female - SMA Female




Part number	Interface	Panel drilling
R191 387 107	MCX Male - SMA Female	P07


ADAPTERS 50Ω

ADAPTERS 50Ω


Standard series adapters




Part number	Interface
R191 387 000	MCX Male - SMA Female




Part number	Interface
R191 386 000	MCX Female - SMA Male




Part number	Interface
R191 385 000	MCX Male - SMA Male




Part number	Interface
R191 389 400	MMBX Female - SMA Female




Part number	Interface
R191 389 200	MMBX Male - SMA Female




Part number	Interface	Panel drilling
R191 399 100	MMCX Female - SMA Female	P07



Part number	Interface
R191 398 020	MMCX Male - SMA Female




Part number	Interface
R191 389 300	MMBX Female - SMA Male




Part number	Interface
R191 389 100	MMBX Male - SMA Male


Standard series adapters




Part number	Interface	Panel drilling
R191 334 000	N Female - SMA Female	P05




Part number	Interface	Panel drilling
R191 332 000	N Female - SMA Female	P05




Part number	Interface
R191 331 000	N Female - SMA Female




Part number	Interface	Panel drilling
R191 381 000	N Female - SMA Female	P01




Part number	Interface
R191 329 000	N Male - SMA Female




Part number	Interface
R191 327 000	N Female - SMA Male




Part number	Interface	Panel drilling
R191 377 000	N Female - SMA Male	P01



Part number	Interface
R191 325 000	N Male - SMA Male



Part number	Interface
R191 239 000	N Female - SMB Female




Part number	Interface	Panel drilling
R191 236 000	N Female - SMB Male	P01


ADAPTERS 50Ω

ADAPTERS 50Ω


Standard series adapters




Part number	Interface
R191 233 000	N Male - SMB Male




Part number	Interface	Panel drilling
R191 514 000	N Female - TNC Female	P01




Part number	Interface
R191 513 050	N Male - TNC Female




Part number	Interface
R191 513 000	N Male - TNC Female




Part number	Interface
R191 511 000	N Female - TNC Male




Part number	Interface
R191 731 000	N Male - UHF Female



Part number	Interface
R191 733 000	N Female - UHF Male




Part number	Interface
R191 203 007	SMA Female - SMB Female




Part number	Interface
R191 201 007	SMA Female - SMB Male


Standard series adapters




Part number	Interface
R191 200 007	SMA Male - SMB Male




Part number	Interface
R191 374 000	SMA Male - SMC Female




Part number	Interface
R191 844 002	SMA Female - SMP Female




Part number	Interface
R191 842 002	SMA Male - SMP Female




Part number	Interface
R191 843 001	SMA Female - SMP Male



Part number	Interface	Panel drilling
R191 843 421	SMA Female - SMP Male	P15



Part number	Interface	Panel drilling
R191 843 401	SMA Female - SMP Male	P15




Part number	Interface
R191 841 001	SMA Male - SMP Male


ADAPTERS 50Ω

ADAPTERS 50Ω


Standard series adapters




Part number	Interface
R191 349 000	SMA Female - SSMA Female




Part number	Interface
R191 347 000	SMA Male - SSMA Female




Part number	Interface
5945-9503-000	SMA Female - SSMC Female




Part number	Interface
5938-1503-000	SMA Male - SSMC Male




Part number	Interface
R191 315 000	SMA Female - TNC Female




Part number	Interface	Panel drilling
R191 365 000	SMA Female - TNC Female	P02



Part number	Interface
R191 311 000	SMA Male - TNC Female




Part number	Interface
R191 313 000	SMA Female - TNC Male




Part number	Interface
R191 309 000	SMA Male - TNC Male


Push - on adapters




Part number	Interface
R125 791 501	SMA Push-on Male - SMA Female




Part number	Interface
R125 792 501	SMA Push-on Female - SMA Female



Part number	Interface	Panel drilling
R143 713 000	TNC Push-on Male - TNC Female	P02



Part number	Interface
R161 791 500	N Push-on Male - N Female




Part number	Interface
R191 977 520	MCX Push-on Female - SMA Male


ADAPTERS 50Ω

ADAPTERS 75Ω


75 ohms adapters




Part number	Interface	Panel drilling
R192 810 300	1.0/2.3 Female - MCX Male	P16




Part number	Interface
R192 430 000	1.6/5.6 Female - BNC Male




Part number	Interface
R192 432 000	1.6/5.6 Male - BNC Female



Part number	Interface
R192 418 000	BNC Female - N Female




Part number	Interface
R192 421 000	BNC Female - N Male




Part number	Interface
R192 419 000	BNC Male - N Female

Panel drilling


P01




P02




P03




P04




P05




P06




P07




P08




P10




P11




P12




P13




P14




P15



P16



P17



Our Most Important Connection is with You.™

NOTE

